

SAUDI MCM PRODUCT DATA SHEETS

43 architectural surfaces · 2026 technical edition

ONE PRODUCT · ONE CLEAR SHEET

Product dimensions and project-specific installation details are issued by EcoSmart.



RAMMED EARTH

Rammed Earth

EC-RE-01

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Warm, compacted horizontal layers with a natural desert-earth character.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



RAMMED EARTH

Ivory Dune Wave

EC-RE-02

STANDARD DIMENSION

2.97 × 0.57 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Broad ivory wave bands inspired by wind-shaped dunes; directional installation.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Glacier Rock

EC-RS-01

STANDARD DIMENSION

2.65 × 1.00 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Rugged white and pale-grey rock relief with bold mineral movement.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



Limestone Sand Clay Beige Stone Grey Earth Clay Red Terracotta Umber Slate Grey Basalt

TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Sandstone Render

EC-RS-02

STANDARD DIMENSION

1.16 × 0.57 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Warm sandy mineral texture with the tactile appearance of traditional render.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Cream Mineral Plaster

EC-RS-03

STANDARD DIMENSION

1.16 × 0.58 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Fine pale-cream granular texture with restrained organic variation.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Pale Limestone

EC-RS-04

STANDARD DIMENSION

2.90 × 1.15 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Softly raised cream mineral texture inspired by natural limestone.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Cream Quarry

EC-RS-05

STANDARD DIMENSION

2.97 × 1.10 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Irregular quarry-like relief with warm cream mineral shadowing.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Snow Plaster

EC-RS-06

STANDARD DIMENSION

2.65 × 1.10 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Clean white plaster texture with subtle uneven movement.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Polar Split-Face Brick

EC-RS-07

STANDARD DIMENSION

1.16 × 0.58 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Staggered white rectangular blocks with dimensional split-face relief.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Slate Fracture Grey

EC-RS-08

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Grey fractured planes and natural cleft-slate character.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



ROUGH SURFACE

Crystal White Rock

EC-RS-09

STANDARD DIMENSION

1.16 × 0.57 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Bright crystalline rock texture with a luminous natural relief.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Ivory Corduroy

EC-LS-01

STANDARD DIMENSION

2.70 × 1.16 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Narrow organic vertical grooves with a soft ivory tone.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Linear Slate Grey

EC-LS-02

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Repeated horizontal ridges with structured grey slate character.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Arctic Band Texture

EC-LS-03

STANDARD DIMENSION

2.95 × 1.20 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Broad, evenly spaced horizontal bands with softly rounded relief.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Steel Strata

EC-LS-04

STANDARD DIMENSION

1.18 × 0.58 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Cool steel-grey horizontal layering with brushed mineral movement.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

White Ledger Brick

EC-LS-05

STANDARD DIMENSION

1.18 × 0.58 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Compact staggered ledger blocks for a clean stone-and-brick effect.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Silver Fluted

EC-LS-06

STANDARD DIMENSION

2.65 × 1.10 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Tightly spaced vertical flutes with subtle silver-grey shading.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Graphite Brush Texture

EC-LS-07

STANDARD DIMENSION

1.16 × 0.58 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Dense horizontal brush marks with expressive graphite-grey accents.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Arctic Column Flute

EC-LS-08

STANDARD DIMENSION

2.70 × 1.00 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Deep, evenly spaced vertical flutes with a strong architectural profile.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Urban Stack Stone

EC-LS-09

STANDARD DIMENSION

1.19 × 0.59 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Narrow stacked-stone courses with a contemporary masonry rhythm.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Arctic Ledger Stone

EC-LS-10

STANDARD DIMENSION

1.16 × 0.58 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

White horizontal ledge-stone courses with crisp joint definition.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Pearl Rain Texture

EC-LS-11

STANDARD DIMENSION

2.74 × 0.95 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Fine vertical rain-like striations in a soft pearl-grey tone.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



LINEAR SURFACE

Arctic Linear Rib

EC-LS-12

STANDARD DIMENSION

2.95 × 1.20 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Closely spaced horizontal ribs for a crisp contemporary finish.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Classic Travertine

EC-TV-01

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Ivory and light-beige vein-cut layers with subtle pores.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Warm Chalk Travertine

EC-TV-02

STANDARD DIMENSION

3.00 × 1.20 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Warm off-white surface with chalk-like weathering and mineral texture.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Ivory Travertine Cloud

EC-TV-03

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Ivory-white clouding with soft cream horizontal movement.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Fossil Layer Travertine

EC-TV-04

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Sedimentary beige-brown bands with fossil-inspired mineral forms.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Opal Linear Travertine

EC-TV-05

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Pale opal surface with fine horizontal grain and restrained variation.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Champagne Travertine

EC-TV-06

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Light champagne-beige bands with subtle porous detail.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Concrete Travertine

EC-TV-07

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Soft concrete-grey tonal movement with light travertine texture.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



Limestone Sand Clay Beige Stone Grey Earth Clay Red Terracotta Umber Slate Grey Basalt

TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Silver Strata Travertine

EC-TV-08

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Pronounced silver-grey horizontal strata and layered mineral shading.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Polar Travertine Linear

EC-TV-09

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Cool white linear pores for a calm contemporary stone finish.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Heritage Cream Travertine

EC-TV-10

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Aged cream layering with muted gold accents and distressed character.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



TRAVERTINE

Snow Drift Travertine

EC-TV-11

STANDARD DIMENSION

1.20 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Bright white fine horizontal marks with a handcrafted finish.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



DECORATIVE SURFACE

Silver Diagonal Weave

EC-DS-01

STANDARD DIMENSION

1.16 × 0.58 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Precise diagonal micro-ribs in a refined textile-inspired pattern.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior application


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



DECORATIVE SURFACE

Platinum Linen

EC-DS-02

STANDARD DIMENSION

1.20 × 0.58 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Fine intersecting striations combining a linen look with mineral depth.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior application


CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



DECORATIVE SURFACE

Woven Sand Grid

EC-DS-03

STANDARD DIMENSION

2.90 × 1.10 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Warm sand-toned woven grid with handcrafted geometric texture.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior application

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



SAUDI SURFACE

Najdi Stone

EC-SS-01

STANDARD DIMENSION

On request

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Najdi-toned hand-rendered relief with warm artisanal stone character.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



SAUDI SURFACE

Salmani Earth Stone

EC-SS-02

STANDARD DIMENSION

1.18 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Copper and rust-toned mineral variation with expressive earthy character.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



SAUDI SURFACE

Salmani Stone

EC-SS-03

STANDARD DIMENSION

1.18 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Sandy beige surface with balanced cream, tan and weathered markings.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



SAUDI SURFACE

Salmani Beige

EC-SS-04

STANDARD DIMENSION

1.18 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Layered beige mineral tones with scattered brown accents.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



SAUDI SURFACE

Salmani Blend

EC-SS-05

STANDARD DIMENSION

1.18 × 0.60 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Taupe and brown granular variation with rugged canyon-like depth.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.



SAUDI SURFACE

Desert Vein Stone

EC-SS-06

STANDARD DIMENSION

1.16 × 0.57 m

CUSTOM DIMENSION

Up to 3.00 × 1.20 m

SURFACE CHARACTER

Warm ivory stone texture with delicate ochre veining.

KEY CHARACTERISTICS

- Modified clay material (MCM)
- Thin, lightweight and flexible
- Matte architectural surface
- Interior · exterior · curved surfaces

CURATED NATURAL PALETTE

+ CUSTOM COLOR



TECHNICAL SUPPORT

Standard dimensions are subject to normal manufacturing tolerances.
EcoSmart provides the approved adhesive and installation method for each project.